

The CXO300 meets growing demand for a powerful diesel marine outboard

Designed for commercial and recreational use, the CXO300 is a new generation of diesel marine technology, offering a high-powered diesel outboard for the marine market. This is an innovative alternative to gasoline outboards and helps meet the increasing demand for outboard brought about by reasons of safety and convenience.

"Pleasantly quiet and free of diesel knock and exhaust smell, the CXO300 outboard meets Tier III emissions standards, established by the federal Environmental Protection Agency" 30% 479 ET IR 300 Less fuel Horsepower Torque

The CXO300 diesel outboard is designed and built specifically for marine use and has premium attributes and aesthetics.





Available in a choice of black or white, the eye-catching engine features bold lines and chrome accents. The external cowlings are manufactured by one of the world's leading premium carbon fibre production facilities and creates a premium quality finish, whilst ensuring durability.

The CXO300 has been developed to be compatible with existing industry standards, making it easy to install on a wide range of marine vessels.

Take a closer look at the CXO300's qualities

1

V8 4.4L Twin Turbo Engine

The CXO300 has twin turbos that generate significantly more torque at lower RPM and maintain this power across a variety of engine speeds.



Vertical crankshaft

The vertical crankshaft design allows for efficient packaging and direct drive of the transmission, providing closer transom spacing for multiple installations.



3

Power distribution module

diesel powerhead.

This module allows for active power management of the outboard power systems. Equipped with self-resetting fuses that reduce the requirement for user intervention to replace physical fuses, these prevent damage and provide galvanic isolation.



The Cox diesel outboard uses twin turbo-chargers to

deliver a pressurised charge to each cylinder of the V8

Electronic controls and steering

The Optimus Steering System enhances control of your vessel. Compatibility with existing industry standards, the NMEA2000 makes it easy to install on a wide range of vessels.

Take a closer look at the CXO300's qualities




Cox designed pit

Designed by Cox Powertrain, the CXO300's Power Tilt and Trim bracket is built to withstand the toughest sea conditions and has been put through extensive durability testing.



Universal transom bolting pattern

Allows easy installation to a wide range of vessels, making repowering easier than ever.



Take a closer look at the CXO300's qualities

Transmission


The transmission has been specifically designed to withstand Cox's high torque, even when sea conditions are at their most challenging.



Standard propeller spline

1.25" 19 tooth spline output shaft ensures both durability and compatibility with a range of industry standard hub kits and propellers.





425hp gasoline outboard: 400 LB.FT

CXO300 diesel outboard: 479 LB.FT



The commercially rated CXO300 delivers impressive performance, including 479 lb.ft torque (650Nm) from 2250-3000 RPM, allowing your vessel to move through the water in a controlled and smooth manner.

Unprecedented fuel savings and exceptional life span



300hp gasoline outboard: 16 USG/h 98 L/h

400hp gasoline outboard: 37 USG/h 140 L/h

CXO300 diesel outboard: 19 USG/h 72 L/h

gasoline outboard, and with an exceptional lifespan that is far greater then your average gasoline outboard, the CXO300 proves to be an incredibly cost effective outboard, making it a popular marine propulsion option.

With up to 30% fuel efficiency compared to a 300hp

"Cox claim about 25% better fuel economy compared to a similar petrol outboard. We've done our tests and we actually got better than that so they're pretty amazing." Barry Thompson / Pacific Powerboat Magazine

This data is based on a sea trial using an Intrepid 345 (34ft) with a total weight of 15,200lbs. Full Performance data available at coxmarine.com.



A wide range of marine applications

The CXO300 has been uniquely designed, but that doesn't limit its applications. After all, it meets all existing industry standards, so can bring its exceptional performance to a wide range of commercial and recreational vessels.



Fishing

The CXO300's excellent fuel efficiency allows a longer range, helping crews to reach those extra special fishing spots to get their catch of the day.



Coast and defence

This high-performance, V8 diesel outboard engine quickly reaches its top speed of 4000RPM, getting you to where you need to be, swiftly and efficiently.



Workboat

With a 24/7 global support network in place, the commercially rated CXO300 has been built to support commercial operations.

An outboard that meets tough fuel emissions standards

Cox Powertrain are committed to delivering a longterm development programme of ground-breaking and sustainable diesel outboards to a wide range of users. It was imperative to design clean-burning engine to ensure its ability to meet current and evolving emissions standards.

Competitor diesel inboard: 5.8 HC & NOx (g/kW-h)

Competitor diesel outboard: 5.3 HC & NOx (g/kW-h)

CXO300 diesel outboard: 4.6 HC & NOx (g/kW-h)



Throughout the CXO300's design and development journey, it was put through rigorous testing programmes and has successfully achieved EPA Tier 3, RCD II, and IMO Il certifications of approval.

With combined emissions as low as 4.6 g/kWh, and up to 30% better fuel efficiency the CXO300 is incredibly cost effective outboard as well as an environmentally friendly marine propulsion option.

Want to take the helm? **Experience the CXO300**

1. Hydraulic steering

Lock-to-lock turns and wheel effort are programmable to change with engine RPM. Joystick and Sea Station GPS Anchoring upgrades available.

2. NMEA 2000 compatible

The CXO300 controls have been developed to be compatible with existing industry standards including NMEA 2000.





3. Full colour LCD screen

All helm displays are full colour LCD screens, providing your engine performance data in high quality graphics. Optional touch screen displays are available to add a stylish touch to your helm station.

4. Wireless ignition

CoastKey's remote start system provides freedom of movement around the vessel, as well as a man-overboard detection safety system, and automatic engine shutdown when the fob is out of range.



Purchase with confidence anywhere in the world warranty and support

Cox Powertrain are proud to deliver the CXO300 diesel outboard to customers worldwide, with the help of their global support network. With over 70 Cox representatives covering more than 140 territories, to ensure that exceptional and efficient customer support is available no matter where you are located.



CXO300 warranty



Recreational

4 years (1500 hours)




Commercial

12 months (1000 hours)



Commercial+

18 months (1500 hours)



ZCOX

Manage your CXO300 any time, any place

As part of Cox's determination to deliver unrivalled aftersales service, Cox have developed an innovative and intelligent mobile app, CoxswainTM – a powerful new outboard tool that allows customers to manage their CXO300s remotely.











Available on desktop, tablet and smartphones on Windows, iOS, and Android.

The Coxswain™ app provides a unique and personally tailored experience for Cox customers, allowing them to have full visibility of their Cox-powered vessels and owner's documentation and warranty information, and to request technical support at the touch of a button. This innovative customer service tool is a direct link between Cox's end users and the global network of Cox representatives, ensuring help is always available no matter where a customer is in the world.

"COX

Craftsmanship, care and attention to detail

At Cox Powertrain's headquarters in the UK, Cox has built a bespoke production facility for manufacturing the CXO300. This facility features sophisticated technology and equipment and is heavily influenced by manufacturing facilities used in the luxury car industry, demonstrating the true craftsmanship, care and attention that goes into the build of every outboard.





with scalability in mind



Built

bespoke to Cox design

Technicians are instructed digitally on the tasks they need to perform to complete the build to specification. Wireless tooling is also used throughout the build process in conjunction with a Manufacturing Execution System (MES) that tracks the full build history.

For continued piece of mind, every outboard is put through a testing procedure in the production test cell, which features a dynamometer to measure the torque and power in different conditions, at varied loads. It is here each powerhead is B.I.P.O. (break in and pass off) tested and put it through its paces.



Technical specification

| Performance | | Transmission data | |
|--------------------------------|-----------|--------------------------------|--------------------------------|
| Propeller shaft power, kW (hp) | 224 (300) | Shaft Length, inch(mm) | 25"(635) / 30"(762) / 35"(889) |
| Engine propping speed, rpm | 3700-4000 | Ratio (Propeller speed) | 1.23:1 (3259) / 1.46:1 (2739) |
| Peak torque, Nm (lb.ft) | 650 (479) | Propeller spline specification | 1.25" shaft / 19 tooth |

| Outboard data | | Powerhead data | |
|---------------------|-----------------------|--------------------------------|------------------------|
| Weight, kg (lb) | 393 (866) | Displacement, L (cu.in.) | 4.4 (266) |
| Emission compliance | EPA 3, IMO II, RCD II | Bore/stroke, mm (in.) | 84 (3.3) / 98.5 (3.9) |
| Trim range | -4° to +16° | Propeller spline specification | 1.25" shaft / 19 tooth |
| Tilt range | 71° | Compression ratio | 16:1 |
| Colour options | Black / White | Aspiration | Twin-turbo |

| Warranty ratings | | | |
|------------------|-------------------------------|--------------|--|
| Commercial | Light-duty commercial | Recreational | Max. 1 hr in 12 at full load |
| | Max. 2 hrs in 12 at full load | | Typ. load factor 30% at up to 400 hrs/year |

Typ. load factor 50% at up to 1500 hrs/year

Disclaimer

This brochure does not purport to be comprehensive or to contain all the information that a prospective customer may need.

The information contained herein is based on currently available information and sources, which we believe to be reliable, but we do not represent it is accurate or complete.

Prospective customers must make their own investigation and assessment of the products and concepts presented herein.

No representation, warranty or undertaking, express or implied, is or will be made or given and no responsibility or liability is or will be accepted by Cox Powertrain Limited (COX) or by any of their directors, officers, employees, agents or advisers, in relation to the accuracy or completeness of this brochure or any other written or oral information made available in connection with the ideas and concepts presented herein.

Any responsibility or liability for any such information is expressly disclaimed.



Ready to take the next step?



Scan to book your demonstration

Cox Powertrain Limited

The Cecil Pashley Building
Unit 8, Cecil Pashley Way Brighton City Airport Lancing,
West Sussex BN43 5FF
United Kingdom

+44 (0) 1273 454 424 info@coxpowertrain.com www.coxmarine.com









